

## CONSTRUCTION PRODUCTS REGULATION Declaration of Performance

(REGULATION (EU) No 305/2011, ANNEX III as amended by the regulation No 574 / 2014 EU)

## № ProTrend/2016

- 1. Unique identification code of the product-type: Section Industrial Door tracle mark ALUTECH in combination with automation systems trade mark Marantec
- 2. Type: ProTrend
- 3. Intended use: external door for vehicle access
- Manufacturer: Alutech Door Systems LLC, Selitskogo str., 10-508, 220075, FEZ «Minsk», Minsk region, Minsk area, Republic of Belarus
- 5. Authorised representative: Alutech Systems s.r.o., CTPark Bor, Nova Hospoda 19, 348 02 Bor u Tachova, Czech Republic
- 6. System/s of AVCP: System 3
- Harmonised standard: EN 13241-1:2003+ A1:2011
   Notified bodies: TÜV SÜD Czech s.r.o., 1017, ift. Rosenheim GmbH, 0757
- 8. Declared performances:

| Characteristics  | Technical class /<br>Conformance                     |                       | Harmonised                      |
|--|--|-----------------------|---------------------------------|
|  | with a wicket door                                   | without a wicket door | standard                        |
| Watertightness   | class 2  |                       |                                 |
| Release of dangerous substances                          | none   |                       |                                 |
| Resistance to wind load                                  | class 1 - 4  |                       |                                 |
| Thermal transmittance*, W/(m²K)                          | 1,35   | 1.15                  |                                 |
| Air permeability   | class 3  |                       | EN 13241-<br>1:2003+<br>A1:2011 |
| Safe opening   | pass   |                       |                                 |
| Definition of geometry of glass components               | pass   |                       |                                 |
| Mechanical resistance and stability                      | pass   |                       |                                 |
| Operating forces (for power operated doors)              | pass   |                       |                                 |
| Durability of the performance characteristics            | 25000 cycles   |                       |                                 |
| *The values are calculated for 5000x5000 mm size door or | n the basis of tests at iff Passabaira Carbon Carbon |                       |                                 |

\*The values are calculated for 5000x5000 mm size door on the basis of tests at ift. Rosenheim GmbH (0757), Test Reports No.15-001478-PR03 from 23/07/2015, No. 15-001478-PR08 from 24/07/15, No. 15-001478-PR11 from 23/07/15

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Sergey Kogolenok – Director

(name and function)

Minsk, 30/03/2016

(place and date of issue)

......

Bautaure (signature)